

T3

Walk-behind Floor Scrubber

- Just-scrubbed floors immediately dry and safe for traffic with green technologies ec-H2O™ or FaST™
- Lower sound level (67 dBA)
- Easily cleanable, sanitary hygienic solution and recovery tanks



The Safe Scrubbing Alternative®

A high-performance scrubber to match your higher standards.

The T3 scrubber delivers an advanced state of safety and cleanliness with award-winning FaST technology and a sound level quieter than leading competitive models.

CREATE A CLEAN, SAFE AND HEALTHY ENVIRONMENT

Improve environmental health in your facility

Exclusive hygienic tanks allow for easy access and sanitisation, reducing mould, bacteria and other contaminants that can grow in enclosed tanks.

Quietly clean in noise-sensitive environments

At only 67 decibels, the T3 is quieter than leading competitive models – comparable to normal conversation levels.

Leave behind no cleaning solution

Even around 180-degree turns, the T3's equal-pressure, parabolic squeegee recovers all cleaning solution from the floor.



FaST

- Equip your T3 with FaST (Foam-activated Scrubbing Technology)
 - The first and only automatic scrubbing system to receive high-traction certification from the National Floor Safety Institute.

With T3 and FaST:

- Just-scrubbed floors are dry and safe to walk on immediately because FaST eliminates slippery chemical residue;
- Operators are safer – No need to handle chemicals.
- Use only the detergent you need. FaST accurately measures detergent and water, reducing waste and eliminating chemical residue;
- Supercharge your productivity with fewer dump/fill cycles – with FaST, the T3 uses only 1 tablespoon of water to clean more than 1m³
- Use FaST 365 for daily use and 965 for restorative cleaning



ec-H2O

- Equip your T3 with ec-H2O
 - ec-H2O is a green technology that makes water behave like a powerful detergent without adding chemicals.
 - ec-H2O eliminates the environmental impact of producing, packaging, transporting, using, and disposing of traditional cleaning chemicals.

With T3 and ec-H2O:

- ec-H2O begins as water and ends as water.
- ec-H2O uses up to 70% less water than conventional scrubbing methods.
- Environmentally friendly alternative to traditional cleaning methods



Reach a new standard of safety and cleanliness with the T3

ENGINEERED FOR SAFETY

Minimise the risk of slip-and-fall injuries and help control insurance costs. Floors are clean, dry and safe for foot traffic almost immediately when scrubbed with FaST.

Reduce operator fatigue and increase productivity. Ergonomic design makes cleaning with the T3 more comfortable for your staff.

Increase scrubbing effectiveness and quality. Clear sight lines and simple controls mean operators can focus solely on their cleaning environment.

Eliminate the need for follow-up passes and non-productive mop-ups with the fully self-adjusting splash skirt that captures 100% of scrub deck overspray.



Scrub for up to 80 minutes on a single tank – up to 90% longer than comparable machines – when you equip the T3 with Green Seal certified FaST or with ec-H2O.

Easily train new operators to use the simple, intuitive control panel.

Save time and storage space with the on-board charger.

Eliminate operator contact with toxic wastewater and prevent clogged hoses/drains with the convenient pre-filtering debris tray.





GENUINE TENNANT PARTS, SUPPLIES & SERVICE

Genuine Tennant Parts Advantage

Operate your machine with confidence by choosing genuine Tennant parts. Only authentic Tennant parts are engineered in conjunction with Tennant equipment. For years of worry-free operation, accept only genuine parts and supplies.

FaST (Foam-activated Scrubbing Technology) : the Key to Peak Productivity and Safety.

Using an innovative foam-based detergent delivery system, scrubber-dryers with FaST increase productivity with up to 30% and eliminate the need for operators to handle chemicals. Tennant FaST 365 and FaST 965 detergents have been awarded the European Community's Eco-label, recognising Tennant's efforts to propose products and services with reduced environmental impact.



This "Ecoflower" is a European ecomarking logotype - it will help You recognizing environment-friendly products and services.

Direct Service Network

In Europe, Tennant offers a factory-trained, locally based network of more than 220 service technicians dedicated to keeping your cleaning program up and running. Protect your investment with a Tennant Service Agreement.

Choose one of the many Tennant Financial Solutions for easy and quick financing.

For more detailed information on these topics, please contact your Tennant sales person.



ec-H2O and FaST are certified by NFSI.
www.nfsi.org

SEEING IS BELIEVING

See for yourself how the T3 scrubber can help you reach a higher standard of cleanliness and safety in your facility. For a demonstration or additional information, call us

TECHNICAL SPECIFICATIONS T3

		43cm	50cm
Machine Dimensions			
Working width (scrubbing path)	cm	43	50
Squeegee width	cm	76	76
Dimensions (lxwxh)	cm	123x49x109	117x52x109
Machine weight (net)	kg	100	100
Scrubbing System			
Area coverage - theoretical (max)	m ² /h	1,720	2,500
Area coverage - practical (max)	m ² /h	950	1,125
Number of brushes/pads	qty	1	2
Diameter disc brush/pad	cm	43	25
Brush assist drive	yes/no	yes	no
Transaxle drive	yes/no	no	yes
Brush pressure	g/cm ²	17	26
Brush pressure	kg	26	19
Recovery System			
Airflow	l/s	31	31
Water lift	kPa	10	10
Practical capacity solution tank	L	40	40
Practical capacity recovery tank	L	40	40
Power			
Power source		battery 24V	battery 24V
Total power consumption	W	768	675
Protection class	I/II/III	III	III
Sound level (DIN45635)	dB(A)	67	67
On board charger		standard	standard
Operation			
ec-H ₂ O	yes/no	yes	yes
FaST	yes/no	yes	yes
Cylindrical/Disc		disc	disc
Propelling			
Transport speed	km/h	-	4.5
Working speed	km/h	2.5	2.5
Climbing capacity	%	-	8
Turning circle	cm	130	130
Warranty	24 Months (or max 2000 running hours) on parts and 12 months (or max 1000 running hours) on labour, whichever comes first, excluding wear items.		

TENNANT EUROPE NV
Plantin & Moretuslei 220
2018 Antwerp
BELGIUM
Tel: +32 3 217 94 11
Fax: +32 3 217 94 19
E-mail: europe@tennantco.com

TENNANT UK LTD.
Gladstone Road
Northampton NN5 7RX
UNITED KINGDOM
Tel: 00800-2255 8366
Fax: 00800-3298 3662
Tel: 01604 583191 (local rate UK only)
Fax: 01604 587909 (local rate UK only)
E-mail: europe@tennantco.com

TENNANT CEE GmbH
Sommerfeld 1
5202 Neumarkt am Wallersee
AUSTRIA
Tel: +43 (0)6216 4524 & 4525
Fax: +43 (0)6216 4524 20
E-mail: office@tennant-cee.com